



Certificate of Analysis

COMPLIANCE FOR RETAIL

PASSED



Retail Batch #: 001
Batch Date: 03/29/26
Production Method: Other - Not Listed
Total Amount: 1 gram
Retail Product Size: 113 gram
Retail Serving Size: 113 gram
Servings: 1

Lab ID: MI60617007-001
Sampled: 05/22/26
Sample Size: 1 gram
Completed: 06/19/26

Healthcare Formula




19355 Northeast 10th Avenue
Miami, FL, 33179, US
TheHelathcareFormula.com

SAFETY RESULTS

MISC.

								
Pesticide NOT TESTED	Heavy Metals NOT TESTED	Microbial PASSED	Mycotoxins NOT TESTED	Solvents NOT TESTED	Filt/Foreign Material NOT TESTED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Terpenes NOT TESTED

Cannabinoid **TESTED**

	Total THC <0.00200		Total CBD 0.343%		Total Cannabinoids 0.491%							
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	<0.0200	<0.00200	0.343	<0.0200	<0.00200	0.148	<0.0200	<0.0200	<0.00200	<0.00200	<0.0200	<0.00200
mg/g	<0.200	<0.00200	3.43	<0.200	<0.00200	1.48	<0.200	<0.200	<0.00200	<0.00200	<0.200	<0.00200
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 5150, 1665, 585, 1440 **Weight:** 3.0918g **Extraction date:** 06/17/26 12:28:29 **Extracted by:** 5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI099880POT
Instrument Used : DA-LC-003 (Derivative) **Batch Date :** 06/17/26 09:18:25
Analyzed Date : 06/18/26 11:16:07

Dilution : 400
Reagent : N/A
Consumables : 947.110; 04312111; 030125CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Microbial **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJA-Testing
97164

Signature
06/19/26



3451 Commerce Parkway
 Miramar, FL, 33025, US
 (954) 368-7664

Kaycha Labs

 Salve
 Matrix: Derivative
 Classification: Balanced THC,CBD
 Type: Topical



Certificate of Analysis

Healthcare Formula
 19355 Northeast 10th Avenue
 Miami, FL, 33179, US
 TheHelathcareFormula.com

Sample: MI60617007-001
Batch #: 001

Ordered: 05/22/26
Sampled: 05/22/26
Completed: 06/19/26

PASSED

	Microbial	PASSED
--	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS TERREUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

Analyzed by: 4520, 585, 1440	Weight: 0.8964g	Extraction date: 06/17/26 11:08:44	Extracted by: 4520,5008
--	---------------------------	--	-----------------------------------

Analysis Method : SOP.T.40.056C
Analytical Batch : MI099878MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) **Batch Date :** 06/17/26 08:38:48
Analyzed Date : 06/19/26 11:01:30

Dilution : 10
Reagent : 040726.47; 040726.48; 051326.R45; 031026.18
Consumables : N/A
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 4571, 585, 1440	Weight: 0.8352g	Extraction date: 06/17/26 11:12:33	Extracted by: 4520,5008
--	---------------------------	--	-----------------------------------

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI099879TYM
Instrument Used : DA-328 (25°C Incubator) **Batch Date :** 06/17/26 08:38:55
Analyzed Date : 06/19/26 11:12:39

Dilution : 10
Reagent : 022326.25; 022326.26; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director



State License # CMTL-00013
 ISO 17025 Accreditation #
 ISO/IEC 17025:2017
 Accreditation PJA-Testing
 97164

Signature
 06/19/26